


BAR GRAPH ARRAYS



Part No.	Emitting Color + λ D (nm) + Material	Iv (ucd) @10mA		Description	Dimension
		Min.	Typ.		

DC-10EWA	Hi.Eff.Red 625 GaAsP/GaP	1900	9000	10 Segments Bar graph-Display Gray Face White Segment	
DC-10SRWA	Super Bright Red 640 GaAlAs	8000	31000		
DC-10YWA	Yellow 588 GaAsP/GaP	1900	9000		
DC-10GWA	Green 568 GaP	3000	16000		
DC-7G3HWA	Green 568 GaP	3000	16000	10 Segments Bar graph-Display 7 x Green, 3 x Red Gray Face White Segment	
	Bright Red 660 GaP	800	4000		

DC-20/20EWA	Hi.Eff.Red 625 GaAsP/GaP	1900	9000	20 Segments Bar graph-Display Gray Face White Segment	
DC-20/20SRWA	Super Bright Red 640 GaAlAs	8000	31000		
DC-20/20YWA	Yellow 588 GaAsP/GaP	1900	9000		
DC-20/20GWA	Green 568 GaP	1900	9000		

DD-12HWP	Bright Red 660 GaP	300	1400	12 Segments Bar graph-Display Black Face White Segment	
DD-12YWP	Yellow 588 GaAsP/GaP	1900	8000		
DD-12GWP	Green 568 GaP	3000	16000		

NOTES:

1. All dimensions are in millimeters(inches).
2. Tolerance is ±0.25mm(0.01") unless otherwise noted.