

Part No.	Material	λ D (nm)	Lens Type	Iv (mcd) @ 20mA		Viewing Angle 2θ1/2	Dimension
				Min.	Typ.		


L-937IID	GaAsP/GaP	625	red diffused	7	20	60°	T-1 (3mm) Round
	GaAsP/GaP	625		7	20		
L-937GGD	GaP	568	green diffused	4	15	60°	
	GaP	568		4	15		
L-937YYD	GaAsP/GaP	588	yellow diffused	4	10	60°	
	GaAsP/GaP	588		4	10		
L-937EGW	GaAsP/GaP	625	white diffused	7	20	60°	
	GaP	568		7	16		
L-937EYW	GaAsP/GaP	625	white diffused	7	20	60°	
	GaAsP/GaP	588		1.6	7		
L-937GYW	GaP	568	white diffused	7	16	60°	
	GaAsP/GaP	588		1.6	7		

L-115VEGW	GaAsP/GaP	625	white diffused	10	50	60°	T-1 (3mm) Round
	GaP	568		10	30		
L-115VEYW	GaAsP/GaP	625	white diffused	10	50	60°	
	GaAsP/GaP	588		7	15		
L-115VGW	GaP	568	white diffused	10	30	60°	
	GaAsP/GaP	588		7	15		

L-115WEGW	GaAsP/GaP	625	white diffused	10	40	60°	T-1 (3mm) Round
	GaP	568		10	35		
L-115WEYW	GaAsP/GaP	625	white diffused	10	40	60°	
	GaAsP/GaP	588		7	20		
L-115WGW	GaP	568	white diffused	10	35	60°	
	GaAsP/GaP	588		7	20		

L-3VEGW	GaAsP/GaP	625	white diffused	10	40	60°	T-1 (3mm) Round
	GaP	568		10	35		
L-3VEYW	GaAsP/GaP	625	white diffused	10	40	60°	
	GaAsP/GaP	588		7	15		
L-3VGW	GaP	568	white diffused	10	35	60°	
	GaAsP/GaP	588		7	15		

NOTES:
 1. All dimensions are in millimeters(inches).
 2. Tolerance is ±0.25mm(0.01") unless otherwise noted.



Part No.	Material	λ D (nm)	Lens Type	Iv (mcd) @ 20mA		Viewing Angle 2θ1/2	Dimension
				Min.	Typ.		

L-799EGW	GaAsP/GaP	625	white diffused	36	80	50°	8mm Round
	GaP	568		18	50		
L-799SRSGW-CC	GaAlAs	640	white diffused	110	200	50°	
	GaP	568		18	50		
L-799SURKMGKW	InGaAlP	635	white diffused	380	600	50°	
	InGaAlP	570		50	130		


L-819IID	GaAsP/GaP	625	red diffused	36	80	50°	10mm Round
L-819GGD	GaP	568		green diffused	10		
L-819YYD	GaAsP/GaP	588	yellow diffused		10	30	
	GaAsP/GaP	588		10	30		
L-819EGW	GaAsP/GaP	625	white diffused	36	80	50°	
	GaP	568		18	50		
L-819SRSGW-CC	GaAlAs	640	white diffused	110	300	50°	
	GaP	568		36	50		
L-819SURKMGKW	InGaAlP	635	white diffused	380	750	50°	
	InGaAlP	570		50	130		

L-283A9NGWT/TG	GaAsP/GaP	610	white diffused	7	15	120°	1.75mm x 3.5mm Rectangular
	GaP	568		4	10		

L-91A6GNWT	GaP	568	white diffused	1.6	4	110°	2mm x 3mm Rectangular
L-91A6YGWT	GaAsP/GaP	610		white diffused	4		
	GaAsP/GaP	588	white diffused		1.6	4	
GaP	568	1.6		4			

NOTES:

1. All dimensions are in millimeters(inches).
2. Tolerance is ±0.25mm(0.01") unless otherwise noted.



Part No.	Material	λ D (nm)	Lens Type	Iv (mcd) @ 20mA		Viewing Angle 2θ1/2	Dimension
				Min.	Typ.		
L-117EGWT	GaAsP/GaP	625	white diffused	4	10	110°	2mm x 5mm Rectangular
	GaP	568		4	8		
L-117EYWT	GaAsP/GaP	625	white diffused	4	10	110°	
	GaAsP/GaP	588		2.6	6		
L-117GYWT	GaP	568	white diffused	4	8	110°	
	GaAsP/GaP	588		2.6	6		
L-119EGWT	GaAsP/GaP	625	white diffused	7	20	110°	2mm x 5mm Rectangular
	GaP	568		4	12		
L-119SRSGWT-CC	GaAlAs	640	white diffused	18	60	110°	
	GaP	568		4	12		
L-119SURKMGKWT	InGaAlP	635	white diffused	70	170	110°	
	InGaAlP	570		10	30		

NOTES:

1. All dimensions are in millimeters(inches).
2. Tolerance is ±0.25mm(0.01") unless otherwise noted.

