


Part No.	Material	λ D (nm)	Lens Type	Iv (mcd) @10mA *20mA		Viewing Angle 201/2	Dimension
				Min.	Typ.		
L-483HDT	GaP	660	red diffused	0.4	1	100°	T-1 3/4 (5mm) Cylindrical
L-483IDT	GaAsP/GaP	625	red diffused	1.8	5	100°	
L-483EDT	GaAsP/GaP	625	orange diffused	3	7	100°	
L-483YDT	GaAsP/GaP	588	yellow diffused	0.7	3	100°	
L-483GDT	GaP	568	green diffused	1	4	100°	
L-483SRSGW	GaAlAs	640	white diffused	*18	*50	80°	
	GaP	568		*4	*10		
L-2773HD	GaP	660	red diffused	0.7	2	100°	1.75mm x 3.9mm Rectangular
L-2773ID	GaAsP/GaP	625	red diffused	5	10	100°	
L-2773ED	GaAsP/GaP	625	orange diffused	5	10	100°	
L-2773ND	GaAsP/GaP	610	orange diffused	5	8	100°	
L-2773YD	GaAsP/GaP	588	yellow diffused	3	8	100°	
L-2773GD	GaP	568	green diffused	3	10	100°	
L-2914ID	GaAsP/GaP	625	red diffused	12	25	50°	2mm x 3mm Rectangular
L-2914YD	GaAsP/GaP	588	yellow diffused	5	13	50°	
L-2914GD	GaP	568	green diffused	5	15	50°	
L-292XGD	GaP	568	green diffused	5	12	110°	1.9mm x 3.1mm Rectangular
L-292XGT	GaP	568	green transparent	5	14	90°	
L-292XIT	GaAsP/GaP	625	red transparent	5	14	90°	
L-292XYD	GaAsP/GaP	588	yellow diffused	1.8	8	110°	
L-292XYT	GaAsP/GaP	588	yellow transparent	1.8	9	90°	
L-144HDT	GaP	660	red diffused	0.4	1	110°	1.9mm x 3.9mm Rectangular
L-144IDT	GaAsP/GaP	625	red diffused	3	6	110°	
L-144SRDT	GaAlAs	640	red diffused	*36	*70	110°	
L-144EDT	GaAsP/GaP	625	orange diffused	3	6	110°	
L-144YDT	GaAsP/GaP	588	yellow diffused	1	3	110°	
L-144GDT	GaP	568	green diffused	1	4	110°	

NOTES:


- All dimensions are in millimeters(inches).
- Tolerance is ±0.25mm(0.01") unless otherwise noted.



Part No.	Material	λ D (nm)	Lens Type	Iv (mcd) @10mA *20mA		Viewing Angle 2θ1/2	Dimension
				Min.	Typ.		
L-483HDT	GaP	660	red diffused	0.4	1	100°	T-1 3/4 (5mm) Cylindrical
L-483IDT	GaAsP/GaP	625	red diffused	1.8	5	100°	
L-483EDT	GaAsP/GaP	625	orange diffused	3	7	100°	
L-483YDT	GaAsP/GaP	588	yellow diffused	0.7	3	100°	
L-483GDT	GaP	568	green diffused	1	4	100°	
L-483SRSGW	GaAlAs	640	white diffused	*18	*50	80°	
	GaP	568		*4	*10		
L-2773HD	GaP	660	red diffused	0.7	2	100°	1.75mm x 3.9mm Rectangular
L-2773ID	GaAsP/GaP	625	red diffused	5	10	100°	
L-2773ED	GaAsP/GaP	625	orange diffused	5	10	100°	
L-2773ND	GaAsP/GaP	610	orange diffused	5	8	100°	
L-2773YD	GaAsP/GaP	588	yellow diffused	3	8	100°	
L-2773GD	GaP	568	green diffused	3	10	100°	
L-2914ID	GaAsP/GaP	625	red diffused	12	25	50°	2mm x 3mm Rectangular
L-2914YD	GaAsP/GaP	588	yellow diffused	5	13	50°	
L-2914GD	GaP	568	green diffused	5	15	50°	
L-292XGD	GaP	568	green diffused	5	12	110°	1.9mm x 3.1mm Rectangular
L-292XGT	GaP	568	green transparent	5	14	90°	
L-292XIT	GaAsP/GaP	625	red transparent	5	14	90°	
L-292XYD	GaAsP/GaP	588	yellow diffused	1.8	8	110°	
L-292XYT	GaAsP/GaP	588	yellow transparent	1.8	9	90°	
L-144HDT	GaP	660	red diffused	0.4	1	110°	1.9mm x 3.9mm Rectangular
L-144IDT	GaAsP/GaP	625	red diffused	3	6	110°	
L-144SRDT	GaAlAs	640	red diffused	*36	*70	110°	
L-144EDT	GaAsP/GaP	625	orange diffused	3	6	110°	
L-144YDT	GaAsP/GaP	588	yellow diffused	1	3	110°	
L-144GDT	GaP	568	green diffused	1	4	110°	

NOTES:


- All dimensions are in millimeters(inches).
- Tolerance is ±0.25mm(0.01") unless otherwise noted.



Part No.	Material	λ D (nm)	Lens Type	Iv (mcd) @10mA *20mA		Viewing Angle 2θ/2	Dimension
				Min.	Typ.		
L-914HDT	GaP	660	red diffused	0.2	1	100°	2mm x 3mm Rectangular
L-914HT	GaP	660	red transparent	0.4	1	90°	
L-914IDT	GaAsP/GaP	625	red diffused	1.8	8	100°	
L-914IT	GaAsP/GaP	625	red transparent	3	8	90°	
L-914EDT	GaAsP/GaP	625	orange diffused	1.8	8	100°	
L-914ET	GaAsP/GaP	625	orange transparent	3	8	90°	
L-914ADT	GaAsP/GaP	588	amber diffused	1.8	5	100°	
L-914AT	GaAsP/GaP	588	amber transparent	1.8	7	90°	
L-914GDT	GaP	568	green diffused	1.8	6	100°	
L-914GT	GaP	568	green transparent	3	8	90°	
L-914PGT	GaP	555	green transparent	0.4	1	90°	
L-169XHD	GaP	660	red diffused	1	3	60°	2mm x 3mm Rectangular
L-169XHT	GaP	660	red transparent	1.8	5	50°	
L-169XID	GaAsP/GaP	625	red diffused	8	15	60°	
L-169XIT	GaAsP/GaP	625	red transparent	12	30	50°	
L-169XYD	GaAsP/GaP	588	yellow diffused	5	10	60°	
L-169XYT	GaAsP/GaP	588	yellow transparent	5	15	50°	
L-169XAT	GaAsP/GaP	588	amber transparent	5	15	50°	
L-169XGD	GaP	568	green diffused	5	15	60°	
L-169XGT	GaP	568	green transparent	5	20	50°	
L-169XPGD	GaP	555	green diffused	1.8	5	60°	
L-169XPGTL	GaP	555	green transparent	3	8	50°	
L-91A7IDT	GaAsP/GaP	625	red diffused	3	8	60°	2mm x 3mm Rectangular
L-91A7YDT	GaAsP/GaP	588	yellow diffused	1	3.5	60°	
L-91A7GDT	GaP	568	green diffused	3	7	60°	
L-103HDT	GaP	660	red diffused	0.4	1	110°	2mm x 5mm Rectangular
L-103IDT	GaAsP/GaP	625	red diffused	1.8	5	110°	
L-103SRDT	GaAlAs	640	red diffused	*36	*80	110°	
L-103EDT	GaAsP/GaP	625	orange diffused	1.8	5	110°	
L-103YDT	GaAsP/GaP	588	yellow diffused	1	4	110°	
L-103GDT	GaP	568	green diffused	1.8	5	110°	
L-113HDT	GaP	660	red diffused	0.4	1	110°	2mm x 5mm Rectangular
L-113IDT	GaAsP/GaP	625	red diffused	3	5	110°	
L-113SRDT	GaAlAs	640	red diffused	*36	*80	110°	
L-113EDT	GaAsP/GaP	625	orange diffused	3	5	110°	
L-113YDT	GaAsP/GaP	588	yellow diffused	1	4	110°	
L-113GDT	GaP	568	green diffused	1.8	5	110°	
L-113SRSGWT	GaAlAs	640	white diffused	*36	*70	110°	
	GaP	568	white diffused	*7	*10	110°	


NOTES:

1. All dimensions are in millimeters (inches).
2. Tolerance is ±0.25mm (0.01") unless otherwise noted.



Part No.	Material	λ D (nm)	Lens Type	Iv (mcd) @10mA *20mA		Viewing Angle 2θ/2	Dimension
				Min.	Typ.		
L-383HDT	GaP	660	red diffused	0.4	1	110°	2.5mm x 5mm Rectangular
L-383IDT	GaAsP/GaP	625	red diffused	3	5	110°	
L-383SRDT	GaAlAs	640	red diffused	*36	*70	110°	
L-383SRWT	GaAlAs	640	white diffused	*36	*70	110°	
L-383EDT	GaAsP/GaP	625	orange diffused	3	5	110°	
L-383YDT	GaAsP/GaP	588	yellow diffused	1	4	110°	
L-383GDT	GaP	568	green diffused	1	4	110°	
L-383SGWT	GaP	568	white diffused	*7	*15	110°	
L-714HDT	GaP	660	red diffused	0.4	1	110°	3mm x 3mm Square
L-714IDT	GaAsP/GaP	625	red diffused	3	5	110°	
L-714SRDT	GaAlAs	640	red diffused	*36	*70	110°	
L-714EDT	GaAsP/GaP	625	orange diffused	3	5	110°	
L-714YDT	GaAsP/GaP	588	yellow diffused	1	5	110°	
L-714GDT	GaP	568	green diffused	1	5	110°	
L-1553HDT	GaP	660	red diffused	0.4	1	110°	5mm x 5mm Square
L-1553IDT	GaAsP/GaP	625	red diffused	3	8	110°	
L-1553SRDT	GaAlAs	640	red diffused	*36	*80	110°	
L-1553EDT	GaAsP/GaP	625	orange diffused	3	8	110°	
L-1553YDT	GaAsP/GaP	588	yellow diffused	1	5	110°	
L-1553GDT	GaP	568	green diffused	1	5	110°	
L-503HDT	GaP	660	red diffused	0.4	1	110°	5mm x 5mm Square
L-503IDT	GaAsP/GaP	625	red diffused	3	6	110°	
L-503YDT	GaAsP/GaP	588	yellow diffused	1	3	110°	
L-503GDT	GaP	568	green diffused	1	3	110°	
DLA/6ID DLC/6ID	GaAsP/GaP	625	red diffused	12	50	120°	20mm DLA/6 1 3 5 7 9 11 2 4 6 8 10 12 DLC/6 1 3 5 7 9 11 2 4 6 8 10 12
DLA/6SRD DLC/6SRD	GaAlAs	640	red diffused	*110	*400	120°	
DLA/6YD DLC/6YD	GaAsP/GaP	588	yellow diffused	12	50	120°	
DLA/6GD DLC/6GD	GaP	568	green diffused	18	80	120°	
DLA/6SGD DLC/6SGD	GaP	568	green diffused	*70	*200	120°	

NOTES:
 1. All dimensions are in millimeters (inches).
 2. Tolerance is ±0.25mm (0.01") unless otherwise noted.



Part No.	Material	λ D (nm)	Lens Type	Iv (mcd) @10mA *20mA		Viewing Angle 2θ/2	Dimension
				Min.	Typ.		
L-383HDT	GaP	660	red diffused	0.4	1	110°	2.5mm x 5mm Rectangular
L-383IDT	GaAsP/GaP	625	red diffused	3	5	110°	
L-383SRDT	GaAlAs	640	red diffused	*36	*70	110°	
L-383SRWT	GaAlAs	640	white diffused	*36	*70	110°	
L-383EDT	GaAsP/GaP	625	orange diffused	3	5	110°	
L-383YDT	GaAsP/GaP	588	yellow diffused	1	4	110°	
L-383GDT	GaP	568	green diffused	1	4	110°	
L-383SGWT	GaP	568	white diffused	*7	*15	110°	
L-714HDT	GaP	660	red diffused	0.4	1	110°	3mm x 3mm Square
L-714IDT	GaAsP/GaP	625	red diffused	3	5	110°	
L-714SRDT	GaAlAs	640	red diffused	*36	*70	110°	
L-714EDT	GaAsP/GaP	625	orange diffused	3	5	110°	
L-714YDT	GaAsP/GaP	588	yellow diffused	1	5	110°	
L-714GDT	GaP	568	green diffused	1	5	110°	
L-1553HDT	GaP	660	red diffused	0.4	1	110°	5mm x 5mm Square
L-1553IDT	GaAsP/GaP	625	red diffused	3	8	110°	
L-1553SRDT	GaAlAs	640	red diffused	*36	*80	110°	
L-1553EDT	GaAsP/GaP	625	orange diffused	3	8	110°	
L-1553YDT	GaAsP/GaP	588	yellow diffused	1	5	110°	
L-1553GDT	GaP	568	green diffused	1	5	110°	
L-503HDT	GaP	660	red diffused	0.4	1	110°	5mm x 5mm Square
L-503IDT	GaAsP/GaP	625	red diffused	3	6	110°	
L-503YDT	GaAsP/GaP	588	yellow diffused	1	3	110°	
L-503GDT	GaP	568	green diffused	1	3	110°	
DLA/6ID DLC/6ID	GaAsP/GaP	625	red diffused	12	50	120°	20mm
DLA/6SRD DLC/6SRD	GaAlAs	640	red diffused	*110	*400	120°	
DLA/6YD DLC/6YD	GaAsP/GaP	588	yellow diffused	12	50	120°	
DLA/6GD DLC/6GD	GaP	568	green diffused	18	80	120°	
DLA/6SGD DLC/6SGD	GaP	568	green diffused	*70	*200	120°	

NOTES:

- All dimensions are in millimeters(inches).
- Tolerance is ±0.25mm(0.01") unless otherwise noted.